

Well Being 29

C01 CAM Intro

These first questions have to do with health and preventive care.

[Questions C02_intro to C02_i are displayed as a table]

C02_intro INTRO USE ALTERNATIVE MEDICINE

In the last year, have you used any of the following alternative medicine treatments and how often?

C02_a Acupuncture

Acupuncture

1 Weekly

2 Monthly

3 Yearly

4 Not Used

C02_b Chiropractic

Chiropractic

1 Weekly

2 Monthly

3 Yearly

4 Not Used

C02_c Dietary Supplements/Herbs

Dietary Supplements/Herbs

1 Weekly

2 Monthly

3 Yearly

4 Not Used

C02_d Homeopathy

Homeopathy

1 Weekly

2 Monthly

3 Yearly

4 Not Used

C02_e Massage Therapy

Massage Therapy

1 Weekly

2 Monthly

3 Yearly

4 Not Used

C02_f Meditation/Guided Imagery

Meditation/Guided Imagery

- 1 Weekly
- 2 Monthly
- 3 Yearly
- 4 Not Used

C02_g Naturopathy

Naturopathy

- 1 Weekly
- 2 Monthly
- 3 Yearly
- 4 Not Used

C02_h Yoga

Yoga

- 1 Weekly
- 2 Monthly
- 3 Yearly
- 4 Not Used

C02_i Other not listed

Other not listed

- 1 Weekly
- 2 Monthly
- 3 Yearly
- 4 Not Used

Cintro Numeracy Intro

Next, we're interested in your opinion about a new medication.

IF Randomly select between 1 and 6 = 1 THEN

|

| **C1** CHOLESTEROL LIKELY TAKE DRUG

| Imagine you have been diagnosed with high cholesterol, a major cause of heart
| disease and stroke. Your doctor has prescribed you a new medication to lower
| your cholesterol, but it has possible side effects. Below is a list of
| possible side effects that may occur while taking this medicine, grouped by
| how common or rare each one is. The number of people out of 100,000 people who
| take this medication and have a given side effect are listed in the first
| column of the table below. The first column is a verbal indication of how
| common or rare the side effect is. Out of 100,000 people Possible
| Side Effects 14,000 dry mouth 7,000 constipation, headache
| 400 stomach upset 50 dizziness 1 muscle damage leading to
| a very serious condition called rhabdomyolysis How likely is it that
| you will take this drug?

| 1 0
Not likely
| 2 1
| 3 2
| 4 3
| 5 4
| 6 5
| 7 6
Very likely

| [Questions C1b to C1b_other are displayed as a table]

| **C1b MOST IMPORTANT REASON SIDE EFFECTS**

| Out of 100,000 people Possible Side Effects 14,000 dry mouth
| 7,000 constipation, headache 400 stomach upset 50 dizziness
| 1 muscle damage leading to a very serious condition called
| rhabdomyolysis Which of the following reasons was most important to
| your answer about how likely you are to take this drug? Please choose the
| most important reason below.

- | 1 Most of the side effects are not very serious.
- | 2 Any serious side effects are very unlikely.
- | 3 You have high cholesterol, but prefer to avoid taking medications, and will do something else to lower your cholesterol.
- | 4 There are too many possible side effects.
- | 5 A lot of people will experience at least one of the side effects, and you don't want to be one of them.
- | 6 The very serious muscle damage.
- | 7 Other. Please write in:
- | 8 None of the above

| **C1b_other** other reason
| other reason
| String

| **C1c DIZZINESS COMMON**

| Out of 100,000 people Possible Side Effects 14,000 dry mouth
| 7,000 constipation, headache 400 stomach upset 50 dizziness
| 1 muscle damage leading to a very serious condition called
| rhabdomyolysis How common is the side-effect, dizziness? (please
| choose one response below)

- | 1 Very Rare
- | 2 Rare
- | 3 Uncommon
- | 4 Common
- | 5 Very Common

```

| C1d PEOPLE WITH UPSET STOMACH
| Out of 100,000 people Possible Side Effects 14,000 dry mouth
| 7,000 constipation, headache 400 stomach upset 50 dizziness
| 1 muscle damage leading to a very serious condition called
| rhabdomyolysis About how many people do you think will get an upset
| stomach out of 100,000 people who take this medication?
|
| String
|
| C1e WORRY ABOUT SIDE EFFECTS
| Out of 100,000 people Possible Side Effects 14,000 dry mouth
| 7,000 constipation, headache 400 stomach upset 50 dizziness
| 1 muscle damage leading to a very serious condition called
| rhabdomyolysis In thinking about taking this medication, how much did
| you worry about the possibility of side effects?
| 1 0
Not at all worried
| 2 1
| 3 2
| 4 3
| 5 4
| 6 5
| 7 6
Extremely worried
|
| C1f WORRY MUSCLE DAMAGE
| Out of 100,000 people Possible Side Effects 14,000 dry mouth
| 7,000 constipation, headache 400 stomach upset 50
| dizziness 1 muscle damage leading to a very serious condition called
| rhabdomyolysis How much did you worry about the possible side
| effect of muscle damage that can lead to a very serious condition called
| rhabdomyolysis?
| 1 0
Not at all worried
| 2 1
| 3 2
| 4 3
| 5 4
| 6 5
| 7 6
Extremely worried
|
| ENDIF

| IF Randomly select between 1 and 6 = 2 THEN
|

```

| **C2 CHLORESTEROL 2**

| Imagine you have been diagnosed with high cholesterol, a major cause of heart
| disease and stroke. Your doctor has prescribed you a new medication to lower
| your cholesterol, but it has possible side effects. Below is a list of
| possible side effects that may occur while taking this medicine, grouped by
| how common or rare each one is. The number of people out of 100,000 people who
| take this medication and have a given side effect are listed in the first
| column of the table below. The first column is a verbal indication of how
| common or rare the side effect is. Out of 100,000 people
| Possible Side Effects Frequency
| 14,000 Very Common dry mouth 7,000 Common
| constipation, headache 400 Uncommon stomach upset 50 Rare
| dizziness 1 Very Rare muscle damage leading to a very serious condition
| called rhabdomyolysis How likely is it that you will take this drug?

| 1 0

Not likely

| 2 1

| 3 2

| 4 3

| 5 4

| 6 5

| 7 6

Very likely

| [Questions C2b to C2b_other are displayed as a table]

| **C2b MOST IMPORTANT REASON SIDE EFFECTS**

| Out of 100,000 people Frequency Possible Side Effects 14,000 Very
| Common dry mouth 7,000 Common constipation, headache 400
| Uncommon stomach upset 50 Rare dizziness 1 Very Rare muscle
| damage leading to a very serious condition called rhabdomyolysis
| Which of the following reasons was most important to your answer about how
| likely you are to take this drug? Please choose the most important reason
| below.

| 1 Most of the side effects are not very serious.

| 2 Any serious side effects are very unlikely.

| 3 You have high cholesterol, but prefer to avoid taking medications, and will do
| something else to lower your cholesterol.

| 4 There are too many possible side effects.

| 5 A lot of people will experience at least one of the side effects, and you don't want
| to be one of them.

| 6 The very serious muscle damage.

| 7 Other. Please write in:

| 8 None of the above

| **C2b_other** other reason

| other reason

| String

| **C2c SIDE EFFECTS COMMON**

| Out of 100,000 people Frequency Possible Side Effects 14,000 Very
| Common dry mouth 7,000 Common constipation, headache 400
| Uncommon stomach upset 50 Rare dizziness 1 Very Rare muscle
| damage leading to a very serious condition called rhabdomyolysis How
| common is the side-effect, dizziness? (please choose one response below)

| 1 Very Rare

| 2 Rare

| 3 Uncommon

| 4 Common

| 5 Very Common

| **C2d PEOPLE WITH UPSET STOMACH**

| Out of 100,000 people Frequency Possible Side Effects 14,000 Very
| Common dry mouth 7,000 Common constipation, headache 400
| Uncommon stomach upset 50 Rare dizziness 1 Very Rare muscle
| damage leading to a very serious condition called rhabdomyolysis
| About how many people do you think will get an upset stomach out of 100,000
| people who take this medication?

| String

| **C2e WORRY ABOUT SIDE EFFECTS**

| Out of 100,000 people Frequency Possible Side Effects 14,000 Very
| Common dry mouth 7,000 Common constipation, headache 400
| Uncommon stomach upset 50 Rare dizziness 1 Very Rare muscle
| damage leading to a very serious condition called rhabdomyolysis In
| thinking about taking this medication, how much did you worry about the
| possibility of side effects?

| 1 0

Not at all worried

| 2 1

| 3 2

| 4 3

| 5 4

| 6 5

| 7 6

Extremely worried

| **C2f WORRY MUSCLE DAMAGE**

| Out of 100,000 people Frequency Possible Side Effects 14,000 Very
| Common dry mouth 7,000 Common constipation, headache 400
| Uncommon stomach upset 50 Rare dizziness 1 Very Rare muscle
| damage leading to a very serious condition called rhabdomyolysis

| How much did you worry about the possible side effect of muscle damage that
| can lead to a very serious condition called rhabdomyolysis?

| 1 0

Not at all worried

| 2 1

| 3 2

| 4 3

| 5 4

| 6 5

| 7 6

Extremely worried

|

ENDIF

IF Randomly select between 1 and 6 = 3 THEN

|

| **C3 CHLORESTEROL 3**

| Imagine you have been diagnosed with high cholesterol, a major cause of heart
| disease and stroke. Your doctor has prescribed you a new medication to lower
| your cholesterol, but it has possible side effects. Below is a list of
| possible side effects that may occur while taking this medicine. The first
| column is a verbal indication of how common or rare the side effect is.

| Frequency Possible Side Effects Very Common dry mouth Common
| constipation, headache Uncommon stomach upset Rare dizziness

| Very Rare muscle damage leading to a very serious condition called
| rhabdomyolysis How likely is it that you will take this drug?

| 1 0

Not likely

| 2 1

| 3 2

| 4 3

| 5 4

| 6 5

| 7 6

Very likely

|

| [Questions C3b to C3b_other are displayed as a table]

|

| **C3b MOST IMPORTANT REASON**

| Frequency Possible Side Effects Very Common dry mouth Common
| constipation, headache Uncommon stomach upset Rare

| dizziness Very Rare muscle damage leading to a very serious condition
| called rhabdomyolysis Which of the following reasons was most

| important to your answer about how likely you are to take this drug? Please
| choose the most important reason below.

| 1 Most of the side effects are not very serious.

- | 2 Any serious side effects are very unlikely.
- | 3 You have high cholesterol, but prefer to avoid taking medications, and will do something else to lower your cholesterol.
- | 4 There are too many possible side effects.
- | 5 A lot of people will experience at least one of the side effects, and you don't want to be one of them.
- | 6 The very serious muscle damage.
- | 7 Other. Please write in:
- | 8 None of the above

| **C3b_other** other reason

| other reason

| String

| **C3c SIDE EFFECTS DIZZINESS**

| Frequency Possible Side Effects Very Common dry mouth Common
 | constipation, headache Uncommon stomach upset Rare
 | dizziness Very Rare muscle damage leading to a very serious condition
 | called rhabdomyolysis How common is the side-effect, dizziness?
 | (please choose one response below)

- | 1 Very Rare
- | 2 Rare
- | 3 Uncommon
- | 4 Common
- | 5 Very Common

| **C3d PEOPLE WITH UPSET STOMACH**

| Frequency Possible Side Effects Very Common dry mouth Common
 | constipation, headache Uncommon stomach upset Rare
 | dizziness Very Rare muscle damage leading to a very serious condition
 | called rhabdomyolysis About how many people do you think will get an
 | upset stomach out of 100,000 people who take this medication?

| String

| **C3e WORRY ABOUT SIDE EFFECTS**

| Frequency Possible Side Effects Very Common dry mouth Common
 | constipation, headache Uncommon stomach upset Rare
 | dizziness Very Rare muscle damage leading to a very serious condition
 | called rhabdomyolysis In thinking about taking this medication, how
 | much did you worry about the possibility of side effects?

- | 1 0
Not at all worried
- | 2 1
- | 3 2
- | 4 3

| 5 4

| 6 5

| 7 6

Extremely worried

|

| **C3f WORRY MUSCLE DAMAGE**

| Frequency Possible Side Effects Very Common dry mouth Common

| constipation, headache Uncommon stomach upset Rare

| dizziness Very Rare muscle damage leading to a very serious

| condition called rhabdomyolysis How much did you worry about the

| possible side effect of muscle damage that can lead to a very serious

| condition called rhabdomyolysis?

| 1 0

Not at all worried

| 2 1

| 3 2

| 4 3

| 5 4

| 6 5

| 7 6

Extremely worried

|

ENDIF

IF Randomly select between 1 and 6 = 4 THEN

|

| **C4 CHLORESTEROL 4 no table**

| Imagine you have been diagnosed with high cholesterol, a major cause of heart

| disease and stroke. Your doctor has prescribed you a new medication to lower

| your cholesterol, but it has possible side effects. Below is a list of

| possible side effects that may occur while taking this medicine. Possible

| Side Effects: dry mouth, constipation, headache, stomach upset, or dizziness.

| This medicine may very rarely cause muscle damage that can lead to a very

| serious condition called rhabdomyolysis. How likely is it that you will

| take this drug?

| 1 0

Not likely

| 2 1

| 3 2

| 4 3

| 5 4

| 6 5

| 7 6

Very likely

|

| [Questions C4b to C4b_other are displayed as a table]

| **C4b MOST IMPORTANT REASON**

| Possible Side Effects: dry mouth, constipation, headache, stomach upset, or
| dizziness. This medicine may very rarely cause muscle damage that can lead to
| a very serious condition called rhabdomyolysis. Which of the following
| reasons was most important to your answer about how likely you are to take
| this drug? Please choose the most important reason below.

- | 1 Most of the side effects are not very serious.
- | 2 Any serious side effects are very unlikely.
- | 3 You have high cholesterol, but prefer to avoid taking medications, and will do something else to lower your cholesterol.
- | 4 There are too many possible side effects.
- | 5 A lot of people will experience at least one of the side effects, and you don't want to be one of them.
- | 6 The very serious muscle damage.
- | 7 Other. Please write in:
- | 8 None of the above

| **C4b_other** other reason

| other reason

| String

| **C4c SIDE EFFECTS**

| Possible Side Effects: dry mouth, constipation, headache, stomach upset, or
| dizziness. This medicine may very rarely cause muscle damage that can lead to
| a very serious condition called rhabdomyolysis. How common is the
| side-effect, dizziness? (please choose one response below)

- | 1 Very Rare
- | 2 Rare
- | 3 Uncommon
- | 4 Common
- | 5 Very Common

| **C4d PEOPLE WITH UPSET STOMACH**

| Possible Side Effects: dry mouth, constipation, headache, stomach upset, or
| dizziness. This medicine may very rarely cause muscle damage that can lead to
| a very serious condition called rhabdomyolysis. About how many people do
| you think will get an upset stomach out of 100,000 people who take this
| medication?

| String

| **C4e WORRY ABOUT SIDE EFFECTS**

| Possible Side Effects: dry mouth, constipation, headache, stomach upset, or
| dizziness. This medicine may very rarely cause muscle damage that can lead to
| a very serious condition called rhabdomyolysis. In thinking about taking
| this medication, how much did you worry about the possibility of side effects?

| 1 0
Not at all worried

| 2 1

| 3 2

| 4 3

| 5 4

| 6 5

| 7 6

Extremely worried

| **C4f** WORRY MUSCLE DAMAGE

| Possible Side Effects: dry mouth, constipation, headache, stomach upset, or
| dizziness. This medicine may very rarely cause muscle damage that can lead to
| a very serious condition called rhabdomyolysis. How much did you worry
| about the possible side effect of muscle damage that can lead to a very
| serious condition called rhabdomyolysis?

| 1 0

Not at all worried

| 2 1

| 3 2

| 4 3

| 5 4

| 6 5

| 7 6

Extremely worried

|
ENDIF

IF Randomly select between 1 and 6 = 5 THEN

| **C5** SIDE EFFECTS PERCENT

| Imagine you have been diagnosed with high cholesterol, a major cause of heart
| disease and stroke. Your doctor has prescribed you a new medication to lower
| your cholesterol, but it has possible side effects. Below is a list of
| possible side effects that may occur while taking this medicine, grouped by
| how common or rare each one is. The percent of people who take this medication
| and have a given side effect are listed in the first column of the table
| below. Percent of People Possible Side Effects 14% dry mouth
| 7% constipation, headache 0.4% stomach upset 0.05%
| dizziness 0.001% muscle damage leading to a very serious condition
| called rhabdomyolysis How likely is it that you will take this drug?

| 1 0

Not likely

| 2 1

| 3 2

| 4 3

| 5 4

| 6 5

| 7 6

Very likely

| [Questions C5b to C5b_other are displayed as a table]

| **C5b MOST IMPORTANT REASON**

| Percent of People Possible Side Effects 14% dry mouth 7%
| constipation, headache 0.4% stomach upset 0.05% dizziness
| 0.001% muscle damage leading to a very serious condition called
| rhabdomyolysis Which of the following reasons was most important to
| your answer about how likely you are to take this drug? Please choose the
| most important reason below.

| 1 Most of the side effects are not very serious.

| 2 Any serious side effects are very unlikely.

| 3 You have high cholesterol, but prefer to avoid taking medications, and will do
| something else to lower your cholesterol.

| 4 There are too many possible side effects.

| 5 A lot of people will experience at least one of the side effects, and you donâ€™t want
| to be one of them.

| 6 The very serious muscle damage.

| 7 Other. Please write in:

| 8 None of the above

| **C5b_other** other reason

| other reason

| String

| **C5c SIDE EFFECTS**

| Percent of People Possible Side Effects 14% dry mouth 7%
| constipation, headache 0.4% stomach upset 0.05% dizziness
| 0.001% muscle damage leading to a very serious condition called
| rhabdomyolysis How common is the side-effect, dizziness? (please
| choose one response below)

| 1 Very Rare

| 2 Rare

| 3 Uncommon

| 4 Common

| 5 Very Common

| **C5d PERCENT PEOPLE SIDE EFFECTS**

| Percent of People Possible Side Effects 14% dry mouth 7%
| constipation, headache 0.4% stomach upset 0.05% dizziness
| 0.001% muscle damage leading to a very serious condition called

| rhabdomyolysis What percent (%) of people who take this medication
| will get an upset stomach?
| String

| **C5e WORRY ABOUT SIDE EFFECTS**

| Percent of People Possible Side Effects 14% dry mouth 7%
| constipation, headache 0.4% stomach upset 0.05% dizziness
| 0.001% muscle damage leading to a very serious condition called
| rhabdomyolysis In thinking about taking this medication, how much did
| you worry about the possibility of side effects?

| 1 0

Not at all worried

| 2 1

| 3 2

| 4 3

| 5 4

| 6 5

| 7 6

Extremely worried

| **C5f WORRY MUSCLE DAMAGE**

| Percent of People Possible Side Effects 14% dry mouth 7%
| constipation, headache 0.4% stomach upset 0.05% dizziness
| 0.001% muscle damage leading to a very serious condition called
| rhabdomyolysis How much did you worry about the possible side effect
| of muscle damage that can lead to a very serious condition called
| rhabdomyolysis?

| 1 0

Not at all worried

| 2 1

| 3 2

| 4 3

| 5 4

| 6 5

| 7 6

Extremely worried

|
ENDIF

IF Randomly select between 1 and 6 = 6 THEN

| **C6 PERCENT SIDE EFFECTS**

| Imagine you have been diagnosed with high cholesterol, a major cause of heart
| disease and stroke. Your doctor has prescribed you a new medication to lower
| your cholesterol, but it has possible side effects. Below is a list of
| possible side effects that may occur while taking this medicine, grouped by

| how common or rare each one is. The percent of people who take this medication
| and have a given side effect are listed in the first column of the table
| below. Percent of People Frequency Possible Side Effects
| 14% Very Common dry mouth 7% Common constipation, headache 0.4%
| Uncommon stomach upset 0.05% Rare dizziness 0.001% Very Rare
| muscle damage leading to a very serious condition called rhabdomyolysis
| How likely is it that you will take this drug?

| 1 0

Not likely

| 2 1

| 3 2

| 4 3

| 5 4

| 6 5

| 7 6

Very likely

|

| [Questions C6b to C6b_other are displayed as a table]

|

| **C6b MOST IMPORTANT REASON**

| Percent of People Frequency Possible Side Effects 14% Very Common

| dry mouth 7% Common constipation, headache 0.4% Uncommon

| stomach upset 0.05% Rare dizziness 0.001% Very Rare muscle

| damage leading to a very serious condition called rhabdomyolysis

| Which of the following reasons was most important to your answer about how

| likely you are to take this drug? Please choose the most important reason

| below.

| 1 Most of the side effects are not very serious.

| 2 Any serious side effects are very unlikely.

| 3 You have high cholesterol, but prefer to avoid taking medications, and will do
| something else to lower your cholesterol.

| 4 There are too many possible side effects.

| 5 A lot of people will experience at least one of the side effects, and you donâ€™t want
| to be one of them.

| 6 The very serious muscle damage.

| 7 Other. Please write in:

| 8 None of the above

|

| **C6b_other** other reason

| other reason

| String

|

| **C6c SIDE EFFECTS**

| Percent of People Frequency Possible Side Effects 14% Very Common

| dry mouth 7% Common constipation, headache 0.4% Uncommon

| stomach upset 0.05% Rare dizziness 0.001% Very Rare muscle

| damage leading to a very serious condition called rhabdomyolysis How
| common is the side-effect, dizziness? (please choose one response below)

- | 1 Very Rare
- | 2 Rare
- | 3 Uncommon
- | 4 Common
- | 5 Very Common

| **C6d PERCENT PEOPLE WITH UPSET STOMACH**

| Percent of People Frequency Possible Side Effects 14% Very Common
| dry mouth 7% Common constipation, headache 0.4% Uncommon
| stomach upset 0.05% Rare dizziness 0.001% Very Rare muscle
| damage leading to a very serious condition called rhabdomyolysis What
| percent (%) of people who take this medication will get an upset stomach?

| String

| **C6e WORRY ABOUT SIDE EFFECTS**

| Percent of People Frequency Possible Side Effects 14% Very Common
| dry mouth 7% Common constipation, headache 0.4% Uncommon
| stomach upset 0.05% Rare dizziness 0.001% Very Rare muscle
| damage leading to a very serious condition called rhabdomyolysis In
| thinking about taking this medication, how much did you worry about the
| possibility of side effects?

- | 1 0
Not at all worried
- | 2 1
- | 3 2
- | 4 3
- | 5 4
- | 6 5
- | 7 6
Extremely worried

| **C6f WORRY MUSCLE DAMAGE**

| Percent of People Frequency Possible Side Effects 14% Very Common
| dry mouth 7% Common constipation, headache 0.4% Uncommon
| stomach upset 0.05% Rare dizziness 0.001% Very Rare muscle
| damage leading to a very serious condition called rhabdomyolysis How
| much did you worry about the possible side effect of muscle damage that can
| lead to a very serious condition called rhabdomyolysis?

- | 1 0
Not at all worried
- | 2 1
- | 3 2
- | 4 3

| 5 4

| 6 5

| 7 6

Extremely worried

|

ENDIF

CS_001 HOW PLEASANT INTERVIEW

Could you tell us how interesting or uninteresting you found the questions in this interview?

1 Very interesting

2 Interesting

3 Neither interesting nor uninteresting

4 Uninteresting

5 Very uninteresting

CS_003 comments

Do you have any other comments on the interview? Please type these in the box below.

Memo